

# APEKS 2020 - 2021

DISTRIBUTED BY  
SAMUI SCUBA PRO CO., LTD.



**apeks**<sup>®</sup>

TECHNICALLY INSPIRED

## 2 | GENERAL TERMS & TABLE OF CONTENTS

### GENERAL TERMS & CONDITIONS OF SALES

Effective September 01, 2020

Main office: Samui Scuba Pro Co., Ltd.  
124/189-191 M.3 T. Maret  
Koh Samui, Suratthani 84310

Telephone: 077 418 188  
Fax: 077 418 189  
e-mail: [easywat@easywatersports.com](mailto:easywat@easywatersports.com)  
Web: [www.easywatersports.com](http://www.easywatersports.com)

#### PURCHASING AND SHIPPING OF ORDERS

- Easy Watersports ( Samui Scuba Pro Co., Ltd ) is the sole distributor for Apeks in Thailand.
- Apeks products in Thailand can be purchased from our local sub-distributors and their authorised dealers.

#### PRICING TERMS AND POLICY

- Prices are recommended retail prices including VAT.
- All prices are subject to change without notice.

#### OTHER TERMS

- Apeks products purchased by an Authorized Dealer and then resold to an unauthorized reseller are considered “third party sales” and are not allowed.
- Apeks products sold to end users by an unauthorized reseller may forfeit the end user certain rights and warranties to the products as allowed by law.
- The Authorized Dealer will provide warranty and non-warranty service for all Apeks products purchased by any end user having legitimate proof of purchase from an Authorized Apeks Dealer located anywhere in the world.

### INDEX

Page 4-6	Sidemount Regulator Kit & TEK3 Regulator Set
Page 7-17	Standard Regulator Sets
Page 18-21	Alternate Air Sources & Regulator Bag
Page 22-24	Complete Regulator Sets
Page 25	Adaptors & Fittings
Page 26-27	Hoses & Spares
Page 28-29	Gauges & Watches
Page 30-41	Buoyancy Systems
Page 42-44	Masks & Fins
Page 45-47	Spools and Accessories
Page 48	Tech Shorts
Page 49-50	Dry Bags



## ABOUT APEKS

In the mid-1970s, two friends decided to combine their knowledge of diving and precision engineering. Working from a small garage in the north of England, they set about creating what have become some of the most respected regulators on the market.

Decades later that spirit of precision-engineering and craftsmanship continues. The full range of Apeks dive equipment, which now includes regulators, bladders, instruments and accessories is trusted by divers around the world. Because when the environment demands, only one thing matters; that your dive kit is designed, developed and tested to keep you safe and comfortable. The name Apeks comes from a combination of letters from the founders' names. Ken Smith Ainscough and Eric Partington.

### The Apeks Lifestyle

Whether it's a warm-water sidemount dive or a cold-water deep dive, Apeks products are designed to maximise your diving adventure. The emphasis is on premium, progressive products that allow a variety of diving configurations to meet the needs of each diver. Tested and proven over decades by the extreme tech community, Apeks products are built for everyone.

### Apeks Around the World

Apeks is dedicated to helping customers maximize their scuba diving experience. With independently-owned Apeks Partner Centres located all over the globe, divers can make the most of their dives no matter where they are. Apeks has the distinct pleasure of working with a number of inspiring ambassadors who make a positive, lasting impact on the world. Their contributions to society and the earth at large are making our world a better place, and Apeks is honoured to offer support.

Wherever you are located, the adventure starts with Apeks!





## NEW! MTX-R SIDEMOUNT REGULATOR KIT

The Apeks MTX-R sidemount regulator kit delivers the necessary hardware and accessories for sidemount diving, along with two award-winning XTX50 regulators. Everything a diver needs for a sidemount breathing system is found in this kit.

### KIT CONTENTS:

- 2 ea. MTX-R DIN 1st stages with 5 port swivel turrets
- 2 ea. MTX-R second stages (the set can be used with all XTX second stages)
- 210cm double swivel hose
- 65cm double swivel hose
- 2 ea. 25cm length MP inflation hoses (one for buoyancy system, one for dry suit)
- 2 ea. tek pressure gauges with 18cm hoses
- 1 ea. 90° elbow fitting
- 1 Bungee connector system
- 1 ea. stainless steel bolt snap
- 2 sets of short exhaust ports
- Regulator bag to hold all
- Setup illustration, CD manual and quick start guide
- **NOW INCLUDES THE NEW BUNGEE CONNECTOR SYSTEM**



Part #	Description	THAI BAHT
AP0100MTXR	MTX-R Sidemount Regulator Kit	59,990.00

## BUNGEE CONNECTOR SYSTEM

The Apeks bungee connector system has designed to be a neat storage solution for your back up regulator and can be configured to your personal preference. The system also has a lock out feature for retaining a regulator in the mouth of an unconscious diver during a rescue situation.

Part #	Description	THAI BAHT
AP0037K	Bungee Connector Kit	690.00





## XTX50 SIDEMOUNT REGULATOR KIT

The Apeks XTX50 sidemount regulator kit delivers the necessary hardware and accessories for sidemount diving, along with two award-winning XTX50 regulators. Everything a diver needs for a sidemount breathing system is found in this kit.

### KIT CONTENTS:

- 2 ea. DST DIN regulators with 5 port swivel turrets
- 2 ea. XTX50 second stages (the set can be used with all XTX second stages)
- 210cm double swivel hose
- 65cm double swivel hose
- 2 ea. 25cm length MP inflation hoses (one for buoyancy system, one for drysuit)
- 2 ea. tek pressure gauges with 18cm hoses
- 1 ea. 90° elbow fitting
- Bungee connector system
- 1 ea. stainless steel bolt snap
- 2 sets of short exhaust ports
- Regulator bag to hold all
- Setup illustration, CD manual and quick start guide
- **NOW INCLUDES THE NEW BUNGEE CONNECTOR SYSTEM**



Part #	Description	THAI BAHT
AP0100F	XTX50 Sidemount Regulator Kit	54,990.00



## TEK 3 REGULATOR SET

Apeks has developed unique first stages specifically for use on a twinset. Each first stage has three medium pressure ports and one high-pressure port. They are hydrostatically over-balanced, cold water compatible and extremely robust. The TEK3 is equally suitable for single cylinder or stage cylinder configurations, offering perfect snag-free hose positioning.

- Set includes two XTX50 second stages with double swivel hoses (the set can be used with all XTX second stages)
- 1x 2.1 metre hose and 1x 0.61 metre hose
- The TEK3 utilises all of the proven technology contained within the Apeks range of first stage regulators
- Incorporates three medium pressure 3/8" UNF ports and one high pressure 7/16" UNF port. The ports are arranged to give a neat streamlined hose configuration
- Allows maximum unrestricted accessibility to the cylinder valves when using a twin cylinder set up
- Outstanding cold water performance
- Only available in DIN fitting and M26 connection
- **NOW INCLUDES THE NEW BUNGEE CONNECTOR SYSTEM**



AP0332F-1-SET



AP0367F-1

Part #	Description	THAI BAHT
AP0332F-1-SET	Tek 3 Set, Complete	45,690.00
AP0367F-1	Tek 3 First Stages Left + Right Hand	24,090.00
AP0366F-1-L	Tek 3 Left Hand First Stage	13,390.00
AP0366F-1-R	Tek 3 Right Hand First Stage	13,390.00

## NEW! HOSE RETAINING PIECE

The Apeks Hose Retainer is used to retain the long hose when diving in a long hose configuration without the need for a canister light. The hose retainer fits any standard 2" webbing and can be used with both single and double tank configurations.

Machined from a single piece of Delrin with a laser etched Apeks logo, the hose retainer is both sleek and durable.

Weight: 60g

Dimensions: 150mm x 20mm (6" x 0.78" Inches)



Part #	Description	THAI BAHT
AP1011/K	Hose Retaining Piece Kit	890.00

## MTX-RC

Own your environment with the MTX-RC scuba diving regulator. Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC is the regulator that dives your way. Featuring the same freeze-resistant technology enjoy by the whole MTX-R range, the MTX-RC resists freeflows in even the coldest temperatures, while offering the user the additional flexibility to dial it up for a comfortable breathe in less extreme environments.

All this is achieved using an innovative first stage design that protects the regulator from freezing and a full set of user controls on the second stage to adjust the breathing performance based on the diver's individual needs.



### First Stage

- Available in yoke or DIN configuration.
- Suitable for cold water use (below 10°C / 50°F)
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.
- Over-moulded innovative endcap and environmental diaphragm, a forged 1st stage body offering maximum thermal performance,
- The 5th 3/8" UNF medium pressure port includes a protective bumper when not in use.
- Forged first stage body with heat exchanging ribs for maximum thermal performance.
- Angled HP ports for optimal hose routing and fitting of transmitters.
- Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation.
- Ribbed diaphragm clamp for improved heat exchange in cold water conditions.
- Double swivel hose for greater freedom of movement and comfort.
- Tested for Octopus use - EN250A cold water.
- Nitrox/Oxygen compatible – Up to 40% O<sup>2</sup> outside the EU (European Union), within the EU anything above 21% O<sup>2</sup> must use an M26 Connection.



### Second Stage

- High performance, pneumatically balanced, lever operated poppet valve.
- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Double swivel hose
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits.
- Venturi control.
- Breathing resistance control.

\*Quality bag included with regulator and stage sets.



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0062GREY	AP0063GREY	MTX-RC 1st Stage	MTX-RC 1st Stage only (Yoke or DIN)	18,490.00
AP0064GREY		MTX-RC 2nd Stage	MTX-RC 2nd Stage only (without hose)	14,090.00
AP0060CSGREY	AP0061CSGREY	MTX-RC Regulator	MTX-RC Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	32,490.00
AP0067CVSGREY	AP0068CVSGREY	MTX-RC Stage 3	MTX-RC Regulator, MTX-RC Octopus (Yoke or DIN)	39,890.00
AP0067CVSGREY/4-1*	AP0068CVSGREY/4-1*	MTX-RC Stage 4 -1	MTX-RC Regulator, MTX-RC Octopus, Single Pressure Gauge Console	43,290.00
AP0067CVSGREY/4-2*	AP0068CVSGREY/4-2*	MTX-RC Stage 4 -2	MTX-CR Regulator, MTX-RC Octopus, Pressure /Depth Gauge Console	46,590.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



# MTX-R

The MTX-R has excellent cold water performance and has a greatly reduced risk of free flow. This has been achieved by improving several areas, including an innovative endcap and environmental diaphragm, a forged 1st stage body offering maximum thermal preference, a ribbed diaphragm clamp and a redesigned & enlarged heat exchanger on the 2nd stage with metal incorporated into the front cover design.

This regulator is designed to meet all aspects of the NEDU (Navy Experimental Dive Unit) military requirements for diving in very cold water.



Simple to use with no dive adjustment controls and reduced chance of free flow occurrence, pre-settable cracking effort or venturi control by an Apeks approved qualified technician.



\*Quality bag included with regulator and stage sets.

### First Stage

- Available in yoke or DIN configuration.
- Suitable for cold water use (below 10°C / 50°F)
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.
- Over-moulded innovative endcap and environmental diaphragm, a forged 1st stage body offering maximum thermal performance,
- The 5th 3/8" UNF medium pressure port includes a protective bumper when not in use.
- Forged first stage body with heat exchanging ribs for maximum thermal performance.
- Angled HP ports for optimal hose routing and fitting of transmitters.
- Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation.
- Ribbed diaphragm clamp for improved heat exchange in cold water conditions.
- Double swivel hose for greater freedom of movement and comfort.
- Tested for Octopus use - EN250A to 22/ 197ft cold water.
- Nitrox/Oxygen compatible – Up to 40% O<sup>2</sup> outside the EU (European Union), within the EU anything above 21% O<sup>2</sup> must use an M26 Connection.

### Second Stage

- High performance, pneumatically balanced, lever operated poppet valve.
- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Double swivel hose
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0062	AP0063	MTX-R 1st Stage	MTX-R 1st Stage only (Yoke or DIN)	17,190.00
AP0064		MTX-R 2nd Stage	MTX-R 2nd Stage only (without hose)	13,190.00
AP0060	AP0061	MTX-R Regulator	MTX-R Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	30,590.00
AP0067	AP0068	MTX-R Stage 3	MTX-R Regulator, MTX-R Octopus (Yoke or DIN)	37,990.00
AP0067/4-1*	AP0068/4-1*	MTX-R Stage 4 -1	MTX-R Regulator, MTX-R Octopus, Single Pressure Gauge Console (Yoke or DIN)	41,390.00
AP0067/4-2*	AP0068/4-2*	MTX-R Stage 4 -2	MTX-R Regulator, MTX-R Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	44,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



# TUNGSTEN XTX

The XTX Tungsten is built on the XTX200 platform but with a truly unique, added feature: it is protected with a hard, durable Physical Vapor Deposition (PVD) finish. This “tough as nails” finish is better than traditional chrome plating. The coating is made of high quality grades of Titanium, Zirconium and Chromium. The result not only looks extremely attractive, but protects your investment from normal diving abuse. Features a swivel hose.

### Features

- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees.
- 5th port as standard. The 5th port also has with the additional bonus of an integrated heat exchanger.
- Can be converted from a right-handed hose configuration to a left handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.

### First Stage

- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- 2 HP ports and 4 MP ports are angled for optimum hose routing.
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out.

### Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mold, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0368F5	AP0369F5	TUNGSTEN 1st Stage	TUNGSTEN 1st STAGE 5 PORT only (Yoke or DIN)	17,690.00
AP0354F		TUNGSTEN 2nd Stage	TUNGSTEN 2nd Stage only (without hose)	14,290.00
AP0335F5	AP0336F5	TUNGSTEN Regulator	TUNGSTEN Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	31,990.00
AP0327F5	AP0328F5	TUNGSTEN Stage 3	TUNGSTEN Regulator, XTX40 Octopus (Yoke or DIN)	37,990.00
AP0327F5/4-1*	AP0328F5/4-1*	TUNGSTEN Stage 4 -1	TUNGSTEN Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	41,390.00
AP0327F5/4-2*	AP0328F5/4-2*	TUNGSTEN Stage 4 -2	TUNGSTEN Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	44,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



## XTX200

The XTX 200 is second only to the XTX Tungsten and quite rightly enjoys its position towards the top of the Apeks regulator range. The definitive blend of style and high performance, every detail on this product has been carefully designed to offer a regulator of the highest quality. Features a swivel hose for maximum comfort.

### Features

- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees.
- An optional 5th port is available which features the additional bonus of an integrated heat exchanger (available on the Tungsten, XTX200 and XTX100 first stages).
- Can be converted from a right-handed hose configuration to a left-handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.

### First Stage

- FSR style first stage.
- Highly polished bright chrome plating.
- Compact one piece body.
- 4 angled medium pressure ports, 4 x 3/8" UNF.
- 2 angled high pressure ports, 2 x 7/16" UNF.
- Optional 5th port.
- Removable ARCAP valve seat.
- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out

### Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0363F	AP0363F-1	XTX200 FSR 1st Stage	XTX200 FSR 1st Stage only (Yoke or DIN)	13,990.00
AP0353F/2		XTX200 2nd Stage	XTX200 2nd Stage only (without hose)	11,290.00
AP0334F	AP0334F-1	XTX200 Regulator	XTX200 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	27,190.00
AP0325F	AP0325F-1	XTX200 Stage 3	XTX200 Regulator, XTX40 Octopus (Yoke or DIN)	33,190.00
AP0325F/4-1*	AP0325F-1/4-1*	XTX200 Stage 4 -1	XTX200 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	36,590.00
AP0325F/4-2*	AP0325F-1/4-2*	XTX200 Stage 4 -2	XTX200 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	39,890.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

## XTX50

The XTX50 is for the discerning diver who wants the benefits of a feature-rich regulator at a moderate price. This popular regulator has four medium-pressure ports all mounted on a rotating turret, resulting in optimal hose routing while eliminating sharp bends in the hose.

### Features

- Four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the hose.
- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees.
- Optional 5th port is available for sidemount or twin cylinder set ups.
- Can be converted from a right-handed hose configuration to a left-handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.



### First Stage

- Uses the DST first stage
- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- 2 HP ports and 4 MP ports on a rotating turret are angled for optimum hose routing
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out.

### Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0361F	AP0361F-1	DST 1st Stage	DST 1st STAGE only (Yoke or DIN)	12,590.00
AP0361F/5	AP0361F-1/5	DST 5 PORT 1st Stage	DST 5 PORT 1st STAGE only (Yoke or DIN)	13,690.00
AP0352F		XTX50 2nd Stage	XTX50 2nd Stage only (without hose)	9,990.00
AP0332F	AP0332F-1	XTX50 Regulator	XTX50 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	22,990.00
AP0317F	AP0317F-1	XTX50 Stage 3	XTX50 Regulator, XTX40 Octopus (Yoke or DIN)	28,990.00
AP0317F/4-1*	AP0317F-1/4-1*	XTX50 Stage 4 -1	XTX50 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	32,390.00
AP0317F/4-2*	AP0317F-1/4-2*	XTX50 Stage 4 -2	XTX50 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	35,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00





## XTX40

The XTX40 is a mid-range Apeks regulator, it is still classed as a high performance regulator in independent reviews. The XTX40 comes with all the features of our highly successful XTX50 with the exception of diver adjustable breathing resistance control.

### Features

- Features an innovative Diver Changeable Exhaust system (DCE). The system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. Only the narrow exhaust tee is supplied with the regulator.
- Optional 5th port is available for sidemount or twin cylinder set ups.
- Can be converted from a right-handed hose configuration to a left handed configuration. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.



### First Stage

- Use the DST first stage.
- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- 2 HP ports and 4 MP ports on a rotating turret are angled for optimum hose routing.
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out.

### Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- The first stage has four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the hose.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0361F	AP0361F-1	DST 1st Stage	DST 1st STAGE only (Yoke or DIN)	12,590.00
AP0351F		XTX40 2nd Stage	XTX40 2nd Stage only (without hose)	7,590.00
AP0331F	AP0331F-1	XTX40 Regulator	XTX40 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	20,990.00
AP0314F	AP0314F-1	XTX40 Stage 3	XTX40 Regulator, XTX40 Octopus (Yoke or DIN)	26,990.00
AP0314F/4-1*	AP0314F-1/4-1*	XTX40 Stage 4 -1	XTX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	30,390.00
AP0314F/4-2*	AP0314F-1/4-2*	XTX40 Stage 4 -2	XTX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	33,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

## NEW! XL4+

The Apeks XL4+ is a compact, lightweight regulator suitable for diving in all environments including cold water locations. Its design and low weight help reduce jaw fatigue on long dives. The XL4+ also makes an ideal stage regulator, perfect for the technical exploration diver with a large amount of equipment.



The extra high pressure port gives the option of an additional accessory, e.g. a transmitter for a computer.

### First Stage

- 2 high pressure ports.
- Compact machined first stage based on the expedition tested Apeks DS4 platform.
- Break through, innovative over-moulded first-stage endcap and environmental diaphragm helps prevent ice build-up that can cause first stage free flow in extreme circumstances.  
Also protects the first stage from impact damage
- Large surface area heat exchanger diaphragm clamp helps increase the gas temperature inside the first stage, resulting in improved cold water performance.
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.

### Second Stage

- High performance pneumatically balanced lever operated poppet valve.
- Large, over moulded self-flushing and controllable purge button.
- Ergonomic Venturi lever is easy to use and locate.
- White flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Standard metallic hose connection for interchangeability.
- Comfo-bite mouthpiece has a unique bridge that fits across the upper palate and does not require bite pressure to stay in place.
- Compatible with XL4 Octopus (See page 18).

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0912W	AP0913W	DB4 1st Stage White	DB4 1st STAGE only (Yoke or DIN)	10,590.00
AP0914W		XL4 2nd Stage White	XL4 2nd Stage only (without hose)	7,190.00
AP0910W	AP0911W	XL4+ Regulator	XL4+ Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	20,790.00
AP0917W	AP0918W	XL+ Stage 3	XL+ Regulator, XL4 Octopus (Yoke or DIN)	26,290.00
AP0917W/4-1*	AP0918W/4-1*	XL+ Stage 4 -1	XL+ Regulator, XL4 Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,690.00
AP0917W/4-2*	AP0918W/4-2*	XL+ Stage 4 -2	XL+ Regulator, XL4 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



## XL4

The Apeks XL4 is a compact lightweight regulator suitable for diving in all environments including cold water locations. Its design and low weight help reduce jaw fatigue on long dives. The XL4 also makes an ideal stage regulator, perfect for the technical exploration diver with a large amount of equipment. It is a high performance option for the technical diver who is serious about weight savings.

### First Stage

- Compact machined first stage based on the expedition tested Apeks DS4 platform.
- Break through, innovative over-moulded first-stage endcap and environmental diaphragm helps prevent ice build-up that can cause first stage free flow in extreme circumstances. Also protects the first stage from impact damage.
- Large surface area heat exchanger diaphragm clamp helps increase the gas temperature inside the first stage, resulting in improved cold water performance.
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.



### Second Stage

- Compact and lightweight second stage improves comfort and helps reduce jaw fatigue on long duration dives.
- High performance pneumatically balanced lever operated poppet valve.
- Large, over moulded self-flushing and controllable purge button.
- Ergonomic Venturi lever is easy to use and locate.
- Flexible nylon braided hose has better cold water performance than a traditional rubber hose.
- Standard metallic hose connection for interchangeability.
- Comfo-bite mouthpiece has a unique bridge that fits across the upper palate and does not require bite pressure to stay in place.
- Re-useable mouthpiece clip makes it simple to change mouthpieces in the field.
- Durable and flexible rubber exhaust tee provides excellent bubble diversion.



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0912	AP0913	DB4 1st Stage	DB4 1st STAGE only (Yoke or DIN)	8,590.00
AP0914		XL4 2nd Stage	XL4 2nd Stage only (without hose)	7,190.00
AP0910	AP0911	XL4 Regulator	XL4 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	17,690.00
AP0917	AP0918	XL Stage 3	XL Regulator, XL4 Octopus (Yoke or DIN)	23,190.00
AP0917/4-1*	AP0918/4-1*	XL Stage 4 - 1	XL Regulator, XL4 Octopus, Single Pressure Gauge Console (Yoke or DIN)	26,590.00
AP0917/4-2*	AP0918/4-2*	XL Stage 4 - 2	XL Regulator, XL4 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	29,890.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



## ATX40 (WITH DS4 FIRST STAGE)

A fully balanced regulator, first and second stage, at an entry level price.

- High performance regulator that boasts an over-balanced first stage with a pneumatically balanced second stage.
- Four medium pressure ports and one high pressure port.
- The first stage is dry sealed keeping all internal components protected from the environment.
- The 2nd stage uses a pneumatically balanced valve system for excellent breathing.
- Due to the ATX 40's high efficiency heat exchanger system, it can cope with even the coldest conditions without freezing, making it the perfect all around regulator.
- The ATX40 has an ergonomically designed control for the venturi that enables you to control the airflow within the second stage at the turn of a lever.
- Comes standard with the Comfo-bite mouthpiece for increased comfort.
- Suitable for cold water use (below 10c / 50F).



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0527	AP0528	DS4 1st Stage	DS4 1st STAGE only (Yoke or DIN)	8,090.00
AP0541C		ATX40 2nd Stage	ATX40 2nd Stage only (without hose)	7,590.00
AP0540C/DS4	AP0540C-1/DS4	ATX40 Regulator	ATX40 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	13,990.00
AP0589C/DS4	AP0589C-1/DS4	ATX40 Stage 3	ATX40 Regulator, XTX40 Octopus (Yoke or DIN)	18,590.00
AP0589C/DS4/4-1*	AP0589C-1/DS4/4-1*	ATX40 Stage 4 -1	ATX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	21,990.00
AP0589C/DS4/4-2*	AP0589C-1/DS4/4-2*	ATX40 Stage 4 -2	ATX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	25,290.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

## WARM WATER ONLY REGULATORS

### AT20 (WITH US4 FIRST STAGE)

A fully balanced regulator, first and second stage, at an entry level price.

- The first stage is a balanced diaphragm type that offers consistent performance from start of dive until end of dive, regardless of depth.
- 1 HP port and 4 MP ports are available.
- Pneumatically-balanced second stage results in smooth, easy breathing.
- The large purge button on the AT20 is easy to operate even with thick gloves.
- The integrated venturi control provides a performance boost at depth while preventing unwanted free-flow at the surface.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- Designed for warm water use above 10° C (50° F).



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0517	AP0518	US4 1st Stage	US4 1st STAGE only (Yoke or DIN)	6,190.00
AP0507		AT20 2nd Stage	AT20 2nd Stage only (without hose)	5,590.00
AP0545C/US4	AP0545C-1/US4	AT20 Regulator	AT20 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	12,490.00
AP0588C/US4	AP0588C-1/US4	AT20 Stage 3	AT20 Regulator, AT20 Octopus (Yoke or DIN)	17,390.00
AP0588C/US4/4-1*	AP0588C-1/US4/4-1*	AT20 Stage 4 -1	AT20 Regulator, AT20 Octopus, Single Pressure Gauge Console (Yoke or DIN)	20,790.00
AP0588C/US4/4-2*	AP0588C-1/US4/4-2*	AT20 Stage 4 -2	AT20 Regulator, AT20 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	24,090.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



## FLIGHT (WARM WATER ONLY)

The combination of innovative design and the use of advanced materials created the Flight. Tough, reliable and strong enough to cope with the demands and rigours of travelling, the Flight is suitable for diving in water with a temperature of 50°F / 10°C and above, perfect for warmer, exotic travel destinations. The Flight is the most compact Apeks regulator ever made – small yet fully loaded with high performance and comfort.

- High strength forged, lightweight, brass skeletal body.
- The components utilize new engineering grade composite materials to create an extremely light weight but tough and hard wearing regulator.
- Total weight of Flight - 25oz./708 grams (yoke) & 21oz./589 grams (DIN 300 bar).
- Balanced diaphragm first stage.
- 4 MP ports & 2 HP ports.
- Compatible with hose-less computer transmitters.
- Optimum hose positions.
- Tool-free second stage swivel fitting - avoids any damage that could occur to the second stage from over-torquing the hose.
- Pneumatically-balanced second stage.
- Large controlled purge button for ease of use.
- Venturi control to prevent free flows when out of the mouth.
- Lightweight, flexible, braided hose.
- The unique yoke knob is designed to minimize entanglements by not extending outward as it is unscrewed. This also keeps the regulator compact.



Twilight



Pewter

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0370	AP0370-1 Pewter	Flight Regulator	Flight Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	19,990.00
AP0370/TL	AP0370-1/TL Twilight	Flight Regulator	Flight Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	19,990.00
AP0379	AP0379-1 Pewter	Flight Stage 3	Flight Regulator, Flight Octopus (Yoke or DIN)	26,290.00
AP0379/TL	AP0379-1/TL Twilight	Flight Stage 3	Flight Regulator, Flight Octopus (Yoke or DIN)	26,290.00
AP0379/4-1*	AP0379-1/4-1* Pewter	Flight Stage 4 -1	Flight Regulator, Flight Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,690.00
AP0379/TL/4-1*	AP0379-1/TL/4-1* Twilight	Flight Stage 4 -1	Flight Regulator, Flight Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,690.00
AP0379/4-2*	AP0379-1/4-2* Pewter	Flight Stage 4 -2	Flight Regulator, Flight Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00
AP0379/TL/4-2*	AP0379-1/TL/4-2* Twilight	Flight Stage 4 -2	Flight Regulator, Flight Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

## NITROX REGULATORS

### NITROX XTX40

Although the Nitrox XTX 40 is a mid-range Apeks regulator, it is still classed as a high performance regulator in independent reviews. The Nitrox XTX 40 comes with all the features of our highly successful Nitrox XTX 50 with the exception of diver adjustable breathing resistance control.

- Same first stage as found on the Nitrox XTX50.
- Green and yellow cosmetic pieces clearly identify that this regulator is dedicated for high-percentage oxygen use.
- XTX pneumatically balanced second stage has left/right reversibility and a Diver Changeable Exhaust (DCE) system. Only the compact exhaust tee is supplied.
- Integrated venturi control.
- Suitable for cold-water use.



#### WARNING

Do not attempt to use any nitrox product with enriched air until you have obtained training in nitrox use with mixtures containing over 40% O<sub>2</sub> by volume, from a nationally recognized training agency.

Part #	Description	THAI BAHT
NP0331F-1	XTX40 Regulator DIN, Oxygen	20,790.00

### NITROX XL4

The Nitrox XL4 is a compact lightweight regulator suitable. It is a high performance option for the technical diver who is serious about weight savings.

- Compact and lightweight
- Based on the DS4 first stage
- Satin finish
- Suitable for cold water use (below 10°C / 50°F).
- Available with standard DIN connection in Thailand.



#### WARNING

Do not attempt to use any nitrox product with enriched air until you have obtained training in nitrox use with mixtures containing over 40% O<sub>2</sub> by volume, from a nationally recognized training agency.

Part #	Description	THAI BAHT
NP0911	XL4 Regulator DIN, Oxygen	17,490.00





## MTX-RC Octopus

Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC octopus is the perfect partner to our MTX-RC regulator.

### Features

- Venturi diver control for the best performance in any environment.
- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits
- Easy to service
- Colour coded octopus hose
- Cold water compatible.



Part #	Description	THAI BAHT
AP0066V	MTX-RC Octopus With Yellow Hose	12,690.00

## MTX-R Octopus

For extreme conditions this is a cold water high performance, pneumatically balanced 2nd Stage. Combined this Octopus with the MTX-R regulator for the perfect cold water solution.

### Features

- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits
- Easy to service
- Colour coded octopus hose
- Cold water compatible.



Part #	Description	THAI BAHT
AP0066	MTX-R Octopus With Yellow Hose	12,690.00

## XTX50 Octopus

The XTX50 Octopus is our top-of-the-line Octopus in terms of features and performance. It provides the same features and performance as the XTX50 second stage and includes left / right hand reversibility. It comes with a high visibility yellow front cover and a 36" yellow hose. Suitable for cold water use (below 10°C / 50°F).

### Features

- The XTX50 Octopus has a breathing effort control knob. This allows the diver to desensitize the unit when it not being used.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- Can be converted from a right-handed hose configuration to a left handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must **ONLY** be performed by an APEKS Authorised Service Technician.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use.
- Compatible with EAN4 out of the box.
- Pneumatically-balanced second stage results in smooth, easy breathing.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very **effective against viruses, mould, yeast and algae**.
- **A silicone exhaust valve improves the breathing performance of the regulator.**
- **The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.**



Part #	Description	THAI BAHT
AP0342F/Y	XTX50 Octopus With Yellow Hose	9,790.00

## XTX40 OCTOPUS

- This octopus is based upon the XTX40 second stage.
- It includes left / right reversibility, cold-water capability and the performance you would expect from an Apeks pneumatically balanced valve.
- Diver-adjustable venturi control.
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose.
- Comes standard with small exhaust tee.
- Suitable for cold water use (below 10c / 50F).



Part #	Description	THAI BAHT
AP0341F/Y	XTX40 Octopus With Yellow Hose	8,290.00

### PLEASE NOTE

A Stage 3 Regulator Set is the best value way of purchasing an Octopus, and it ships with the Octopus fitted to the 1st Stage.



## EGRESS OCTOPUS

Innovative, low profile design minimizes drag. The pneumatically balanced valve provides superior performance for an alternate air source, making it a perfect complement to the high performing Apeks regulators.

- Unique 120° angle between the mouthpiece and the hose, which is ideal for sharing air with your buddy.
- Breathes smoothly when positioned right side up or upside down.
- High visibility 36" yellow hose distinguishes your Egress hose from your primary hose and is easily spotted in the event of an out-of-air emergency.
- Suitable for cold water use (below 10c / 50F).



Part #	Description	THAI BAHT
AP0756	Egress Octopus With Yellow Hose	8,290.00

## XL4 OCTOPUS

- Compact and lightweight design
- High performance pneumatically balanced lever operated poppet valve.
- Large, over moulded self-flushing and controllable purge button.
- Ergonomic venturi lever is easy to use and locate.
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Standard metallic hose connection for interchangeability.
- Colour coded octopus hose
- Suitable for cold water use (below 10°C / 50°F).



Part #	Description	THAI BAHT
AP0916	XL4 Octopus With Yellow Hose	7,490.00

## ATX40 OCTOPUS

- The ATX40 octopus is smaller and 25% lighter than its TX predecessor. This results in less jaw fatigue and less drag.
- This pneumatically balanced octopus is ideally suited for an over-balanced Apeks first stage.
- The diver has full control of the venturi by means of a lever so as to prevent accidental free-flow when the octopus is not being used.
- The excellent cold water performance of this octopus is due to the highly efficient heat exchanger on the second stage.
- High visibility 36" yellow hose and high visibility yellow cover.
- Suitable for cold water use (below 10c / 50F).



Part #	Description	THAI BAHT
AP0506C/Y	ATX40 Octopus With Yellow Hose	6,490.00

## AT20 OCTOPUS (WARM WATER ONLY)

- The AT20 octopus is smaller and 25% lighter than its TX predecessor. This results in less jaw fatigue and less drag.
- This pneumatically balanced octopus is ideally suited for an over-balanced Apeks first stage.
- The diver has full control of the venturi by means of a lever so as to prevent accidental free-flow when the octopus is not being used.
- High visibility 36" yellow hose and high visibility yellow cover.
- Designed for water temperatures above 50° F (10° C).



Part #	Description	THAI BAHT
AP0507C/Y	AT20 Octopus With Yellow Hose	5,590.00

## FLIGHT OCTOPUS (WARM WATER ONLY)

Designed to match the Flight regulator second stage.

- Extremely compact and lightweight at 4.5oz / 127g yet remains neutrally buoyant.
- Pneumatically balanced for excellent performance.
- Uses a large, soft-touch purge.
- Integrated Venturi System (IVS) with an ergonomic control lever.
- Lightweight, flexible, braided hose in high visibility yellow.
- Available in male and female version.
- Designed for water temperatures above 50° F (10° C).



Part #	Description	THAI BAHT
AP0385/M	Flight Octopus Male With Yellow Hose	8,390.00
AP0385/F	Flight Octopus Female With Yellow Hose	8,390.00

### PLEASE NOTE

A Stage 3 Regulator Set is the best value way of purchasing an Octopus, and it ships with the Octopus fitted to the 1st Stage.

## REGULATOR BAG



Part #	Description	Includes	THAI BAHT
AP0529	Regulator Bag	Shoulder Strap	1,690.00





## STAGE-3 & STAGE-4 SETS \*

### MTX-RC/MTX-RC

MTX-RC Bag included



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0067CVSGREY	AP0068CVSGREY	MTX-RC Stage 3	MTX-RC Regulator, MTX-RC Octopus (Yoke or DIN)	39,890.00
AP0067CVSGREY/4-1*	AP0068CVSGREY/4-1*	MTX-RC Stage 4 -1	MTX-RC Regulator, MTX-RC Octopus, Single Pressure Gauge Console	43,290.00
AP0067CVSGREY4-2*	AP0068CVSGREY/4-2*	MTX-RC Stage 4 -2	MTX-RC Regulator, MTX-RC Octopus, Pressure /Depth Gauge Console	46,590.00

### MTX-R/MTX-R

MTX-R Bag included



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0067	AAP0068	MTX-R Stage 3	MTX-R Regulator, MTX-R Octopus (Yoke or DIN)	37,990.00
AP0067/4-1*	AP0068/4-1*	MTX-R Stage 4 -1	MTX-R Regulator, MTX-R Octopus, Single Pressure Gauge Console	41,390.00
AP0067/4-2*	AP0068/4-2*	MTX-R Stage 4 -2	MTX-R Regulator, MTX-R Octopus, Pressure /Depth Gauge Console	44,690.00

### TUNGSTEN XTX/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0327F5	AP0328F5	TUNGSTEN Stage 3	TUNGSTEN Regulator, XTX40 Octopus (Yoke or DIN)	37,990.00
AP0327F5/4-1*	AP0328F5/4-1*	TUNGSTEN Stage 4 -1	TUNGSTEN Regulator, XTX40 Octopus, Single Pressure Gauge Console	41,390.00
AP0327F5/4-2*	AP0328F5/4-2*	TUNGSTEN Stage 4 -2	TUNGSTEN Regulator, XTX40 Octopus, Pressure /Depth Gauge Console	44,690.00

### XTX200/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0325F	AP0325F-1	XTX200 Stage 3	XTX200 Regulator, XTX40 Octopus (Yoke or DIN)	33,190.00
AP0325F/4-1*	AP0325F-1/4-1*	XTX200 Stage 4 -1	XTX200 Regulator, XTX40 Octopus, Single Pressure Gauge Console	36,590.00
AP0325F/4-2*	AP0325F-1/4-2*	XTX200 Stage 4 -2	XTX200 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console	39,890.00

## XTX50/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0317F	AP0317F-1	XTX50 Stage 3	XTX50 Regulator, XTX40 Octopus (Yoke or DIN)	28,990.00
AP0317F/4-1*	AP0317F-1/4-1*	XTX50 Stage 4 -1	XTX50 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	32,390.00
AP0317F/4-2*	AP0317F-1/4-2*	XTX50 Stage 4 -2	XTX50 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	35,690.00

## XL4+/XL4



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0917W	AP0918W	XL+ Stage 3	XL+ Regulator, XL4 Octopus (Yoke or DIN)	26,290.00
AP0917W/4-1*	AP0918W/4-1*	XL+ Stage 4 -1	XL+ Regulator, XL4 Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,690.00
AP0917W/4-2*	AP0918W/4-2*	XL+ Stage 4 -2	XL+ Regulator, XL4 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00

## XL4/XL4



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0917	AP0918	XL Stage 3	XL Regulator, XL4 Octopus (Yoke or DIN)	23,190.00
AP0917/4-1*	AP0918/4-1*	XL Stage 4 -1	XL Regulator, XL4 Octopus, Single Pressure Gauge Console (Yoke or DIN)	26,590.00
AP0917/4-2*	AP0918/4-2*	XL Stage 4 -2	XL Regulator, XL4 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	29,890.00

## XTX40/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0314F	AP0314F-1	XTX40 Stage 3	XTX40 Regulator, XTX40 Octopus (Yoke or DIN)	26,990.00
AP0314F/4-1*	AP0314F-1/4-1*	XTX40 Stage 4 -1	XTX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	30,390.00
AP0314F/4-2*	AP0314F-1/4-2*	XTX40 Stage 4 -2	XTX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	33,690.00



## ATX40/ATX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0589C/DS4	AP0589C-1/DS4	ATX40 Stage 3	ATX40 Regulator, XTX40 Octopus (Yoke or DIN)	18,590.00
AP0589C/DS4/4-1*	AP0589C-1/DS4/4-1*	ATX40 Stage 4 -1	ATX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	21,990.00
AP0589C/DS4/4-2*	AP0589C-1/DS4/4-2*	ATX40 Stage 4 -2	ATX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	25,290.00

## AT20/AT20



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0588C/US4	AP0588C-1/US4	AT20 Stage 3	AT20 Regulator, AT20 Octopus (Yoke or DIN)	17,390.00
AP0588C/US4/4-1*	AP0588C-1/US4/4-1*	AT20 Stage 4 -1	AT20 Regulator, AT20 Octopus, Single Pressure Gauge Console (Yoke or DIN)	20,790.00
AP0588C/US4/4-2*	AP0588C-1/US4/4-2*	AT20 Stage 4 -2	AT20 Regulator, AT20 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	24,090.00

## FLIGHT/FLIGHT



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0379	AP0379-1 Pewter	Flight Stage 3	Flight Regulator, Flight Octopus (Yoke or DIN)	26,290.00
AP0379/TL	AP0379-1/TL Twilight	Flight Stage 3	Flight Regulator, Flight Octopus (Yoke or DIN)	26,290.00
AP0379/4-1*	AP0379-1/4-1* Pewter	Flight Stage 4 -1	Flight Regulator, Flight Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,690.00
AP0379/TL/4-1*	AP0379-1/TL/4-1* Twilight	Flight Stage 4 -1	Flight Regulator, Flight Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,690.00
AP0379/4-2*	AP0379-1/4-2* Pewter	Flight Stage 4 -2	Flight Regulator, Flight Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00
AP0379/TL/4-2*	AP0379-1/TL/4-2* Twilight	Flight Stage 4 -2	Flight Regulator, Flight Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00



\*"Stage 4" sets come with H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose. 400,- Baht

DIN or YOKE Connection available



## 5 PORT TURRET UPGRADE KIT

Part #	Description	THAI BAHT
AP0274	5 Port DST Upgrade Kit	1,390.00
AP0274/1	5 Port XTX FSR/FST Upgrade Kit *	1,490.00

- \* For p/n AP02741, it may only be used on the current "face-lifted" models that debuted in 2013.



## FREEFLOW CONTROL DEVICE

- Isolates free-flowing 2nd stages
- Guards against unexpected air loss
- Improves diver safety
- Gives total control of a frozen 2nd stage
- Fits any 2nd stage with standard hose fitting

Part #	Description	THAI BAHT
AP0233	Freeflow Control Device	2,290.00



## DIN TO YOKE CONVERTER

- Allows you to quickly and easily convert your existing DIN connector to yoke without the need for tools.

Part #	Description	THAI BAHT
AP0195	DIN to Yoke Converter	3,190.00



## APRV

- Pre-set between 12 – 17 bar (174 – 247 psi)
- Standard factory Pre-set is 15 bar (218 psi)
- Low Profile
- High Flow Rate

Part #	Description	THAI BAHT
AP0849//K	Adjustable Pressure Relieve Valve	1,890.00



## DIN & A-CLAMP (YOKE) KITS

- Allows you to replace your existing yoke connector or DIN connector
- Available in co-molded, bright chrome or satin finish

Part #	Description	THAI BAHT
AP0371	DIN Kit - Flight	4,190.00
AP0372	A-Clamp Kit - Flight	4,190.00
AP0620	DIN Kit - co-molded hand-wheel	2,490.00
AP0620-A	A-Clamp Kit - co-molded Knob	2,790.00
AP0211	DIN Kit - Chrome 300 bar	2,790.00
AP0211-A	A-Clamp Kit - Chrome, black Knob	2,790.00
AP0211/S	DIN Kit - Satin	2,790.00
AP0211-/S-A	A-Clamp Kit - Satin, co-molded Knob	2,790.00
AP0211/PVD-A	A-Clamp Kit - PVD (Tungsten)	4,190.00



AP0620



AP0620-A



AP0211



AP0211-A



AP0211/S



AP0211/S-A





# HOSES

- All LP hoses and Inflator hoses are manufactured at the Apeks factory.
- Lightweight flexible hoses withstand a burst pressure more than twice that of traditional hoses.
- Seatec inflator hose fits all Aqualung BCs.



Part #	Description	THAI BAHT
AP0203/1TEK.65MTR	REGULATOR HOSE DOUBLE SWIVEL 3/8" 0.65 MTR NHP	3,090.00
AP0203/1	REGULATOR HOSE 3/8" 0.72 MTR (RUBBER)	2,690.00
AP0203/1/DSW	REGULATOR HOSE DOUBLE SWIVEL 3/8" 0.72 MTR	3,090.00
AP0203/1/J/K	SWIVEL REG HOSE 3/8"+BOX 0.72 MTR (RUBBER)	3,690.00
AP0203/1-1MTR	REGULATOR HOSE 3/8" 1 MTR (RUBBER)	2,990.00
AP0203/1-1.5MTR	REGULATOR HOSE 3/8" 1.5 MTR (RUBBER)	3,490.00
AP0203/1-2.1MT	REGULATOR HOSE 3/8" 2.1 MTR (RUBBER)	4,190.00
AP0203/1TEK.2.1MTR	REGULATOR HOSE DOUBLE SWIVEL 3/8" 2.1 MTR NHP	4,590.00
AP0203	REGULATOR HOSE 1/2" 0.72 MTR (RUBBER)	2,690.00
AP0197	FLEXI HOSE 1/2" 0.72 MTR	2,690.00
AP0203-1.5MTR	REGULATOR HOSE 1/2" 1.5 MTR (RUBBER)	3,490.00
AP0203/2.1MTR	REGULATOR HOSE 1/2" 2.1 MTR (RUBBER)	4,190.00
AP0206	OCTOPUS HOSE 3/8" 0.90 MTR (RUBBER)	2,790.00
AP0198NHP/0.65	FLEXI HOSE 3/8" 0.65 MTR (SIDEMOUNT)	2,690.00
AP0198/DSW/0.65MTR	FLEXI HOSE DOUBLE SWIVEL 3/8 0.65 MTR (SIDEMOUNT)	3,090.00
AP0198	FLEXI HOSE 3/8" 0.72 MTR	2,690.00
AP0198/DSW	FLEXI HOSE DOUBLE SWIVEL 3/8" 0.72 MTR	3,090.00
AP0198/J/K	SWIVEL FLEXI HOSE 3/8"+BOX 0.72 MTR	3,690.00
AP0198/1MTR	FLEXI HOSE 3/8" 1 MTR	2,990.00
AP0198/1.5MTR	FLEXI HOSE 3/8" 1.5 MTR	3,490.00
AP0198/2.1MTR	FLEXI HOSE 3/8" 2.1 MTR	4,190.00
AP0198/DSW/2.1MTR	FLEXI HOSE DOUBLE SWIVEL 3/8" 2.1 MTR	4,590.00
AP0200	FLIGHT REGULATOR HOSE 0.72 MTR	2,790.00
AP0199	FLEXI HOSE 3/8" OCTO 0.9 MTR	2,690.00
AP0199/DSW	FLEXI HOSE 3/8" OCTO DOUBLE SWIVEL 0.9 MTR	3,090.00
AP0201	FLIGHT OCTOPUS HOSE 0.9 MTR	2,990.00
AP0901	HP HOSE 0.8 MTR (RUBBER)	2,490.00
AP0904	FLEXI HP HOSE 0.8 MTR	2,790.00
AP0901-180	HP HOSE 0.18 MTR (RUBBER, SIDEMOUNT)	2,490.00
AP0153	INFLATION HOSE SEATEC 0.74 MTR ( WTX+SEAQUEST...)	2,090.00
AP0137	FLEXI SEATEC Q/C HOSE 0.74 MTR ( WTX+SEAQUEST...)	2,090.00
AP0137NHP	FLEXI SEATEC Q/C HOSE 0.25 MTR (SIDEMOUNT)	2,090.00



Flex Hose



Double Swivel Hose



Double Swivel Octopus Hose



## NEW! BUNGEE CONNECTOR SYSTEM

The Apeks bungee connector system has designed to be a neat storage solution for your back up regulator and can be configured to your personal preference. The system also has a lock out feature for retaining a regulator in the mouth of an unconscious diver during a rescue situation.



Part #	Description	THAI BAHT
AP0037K	Bungee Connector Kit	690.00

## REGULATOR ACCESSORIES

Part #	Description	THAI BAHT
AP0903/K	90 Fixed Elbow Kit	1,890.00
AP3020/2/K	1/2" TO 3/8" Adaptor Pack	610.00
AP0480/K	Regulator Necklace Kit	990.00
AP5324/K	Anti-Bacterial Comfo Mouthpiece Pack	520.00
AP1434/K	Coloured Mouthpiece Kit (4 Mouthpieces)	1,660.00
AP6202/K	DIN Protector Cap	400.00
AP1404/K	Dust Cap (for Yoke Connector)	260.00
AP1461	Hose Protector Black	220.00
AP1461/Y	Hose Protector Yellow	220.00
AP1461/G	Hose Protector Green	220.00





## ANALOG INSTRUMENTS

Apeks instruments supply clear and accurate information on your dive status. Our instruments are tested beyond normal dive limits to ensure they provide this precise information for all your dive experiences. Strong, easy to maintain housings provide years of trouble free service. You can be assured of the quality/finish of all your Apeks equipment. Our gauges and gauge consoles are designed and finished at our UK factory ensuring that every aspect reflects our commitment to quality. The gauges are stylish and fit perfectly with other products in the Apeks range, such as our world famous regulators. All consoles are available in Pewter.

### CONTENTS GAUGE CONSOLE

- The slim-line gauge case is made from nickel plated brass.
- Large loop area designed into the housing for ease of attachment.
- The dial range is from 0 to 360 bar.
- Uncluttered, with large black figures on a luminous background giving a long phosphorescent effect.
- Made with O2 compatible materials but be sure to O2 clean before use with high percentage oxygen.
- The dial window is made of highly shock resistant material (anti-splinter Polycarbonate) to protect your quality gauge.
- Over pressure relief fitted in the back.



AP0633

### CONTENTS GAUGE + DEPTH GAUGE CONSOLE

- See contents gauge details above.
- Dials have a long phosphorescent effect for better reading in poor visibility conditions.
- There are 2 attachment areas integrated into the design for position flexibility.
- This may be a compact design but the displays are vivid and clear - perfect for diving. For example, the depth gauge spreads the first half of the scale and in total shows a range down to 70 metres.
- Depth gauge has resettable max depth indicator.
- Made with high shock-resistant windows, which is a must for divers.



AP0635



AP0636

### CONTENTS GAUGE + DEPTH GAUGE CONSOLE + COMPASS

- See specifics on each individual instrument above.
- All instruments give accurate, clear readings and are made from the best quality build materials. As such they offer perfect functionality and excellent robustness.



Back view



Optional HP Flex Hose

Part #	Description	THAI BAHT
AP0633	Contents Gauge Console	4,290.00
AP0633M	Contents Gauge Console With HP Flex Hose	4,690.00
AP0635	Contents Gauge & Depth Gauge Console	7,990.00
AP0635M	Contents Gauge & Depth Gauge Console With HP Flex Hose	8,390.00
AP0636	Contents Gauge & Depth Gauge Console + Compass	11,290.00
AP0636M	Contents Gauge & Depth Gauge Console + Compass With HP Flex Hose	11,690.00



## NITROX PRESSURE GAUGE

- O2 clean.
- Can be used for up to 100 % Oxygen.
- Bright green colour indicates its use for nitrox exclusively.



Part #	Description	THAI BAHT
NP0633	Nitrox Contents Gauge Console	4,990.00

## TECH PRESSURE GAUGE

- Chrome-plated marine brass body.
- 300 Bar.
- 52 Diameter



Part #	Description	THAI BAHT
AP5747	Tech Pressure Gauge (Module Only)	3,490.00

## APEKS PROFESSIONAL DIVE WATCH (MALE)

Stainless steel case with attractive contoured stainless steel bezel with positive action, and screw down winder. This watch uses a reliable Seiko movement with day and date display. Tested to 200 metres.

### Features

- Highly reliable Seiko VX42 Quartz movement.
- Easy to read luminous face and large uni-directional bezel and day/date display.
- Housed in a tough stainless steel case with screw-in crown.
- PU Polyurethane strap.
- Tested to 200 metres.



Part #	Description	THAI BAHT
AP0406	Professional Dive Watch Gents	7,190.00

## APEKS PROFESSIONAL DIVE WATCH (FEMALE)

Stainless steel case with attractive contoured stainless steel bezel with positive action, and screw down winder. This watch uses a reliable Seiko movement with date display. Tested to 200 metres.

### Features

- Highly reliable Seiko VX42 Quartz movement.
- Easy to read luminous face and large uni-directional bezel and day/date display (date only).
- Housed in a tough stainless steel case with screw-in crown.
- PU Polyurethane strap.
- Tested to 200 metres.



Part #	Description	THAI BAHT
AP0406-2	Professional Dive Watch Ladies	7,190.00





## BLACK ICE

The Black Ice is designed with the more serious recreational diver in mind. Designed to provide the comfort desired for daily diving and the features needed to take you over the edge, the Black Ice is ideal for the diver who does it all. The separately available twin cylinder kit converts your Black Ice for twin cylinder diving.

- Equipped with flat E valves on the right shoulder and lower rear right and left sides (fitted with easy grip pull dumps). Flat E Valves are extremely streamlined with a one way design to keep water out.
- Two shoulder settings for true custom adjustments.
- Adjustable chest strap.
- 3 waistband settings.
- 3 bladder retractors.
- Wrapture Harness® System.
- 5 stainless steel D-rings.
- SOLAS reflector inflator hold down.
- Powerline inflator with internal dump cable.
- Innovative swivel shoulder buckles.
- Knife attachment points
- Right hand large utility pocket.



Twin Cylinder Kit



Part #	Description	Sizes	THAI BAHT
397092	Black Ice	SM/MD	33,790.00
397094	Black Ice	ML/LG	33,790.00
397096	Black Ice	XL/XXL	33,790.00
427106	Twin Cylinder Kit		3,590.00

## BLACK ICE BC SIZE GUIDE

Size	SM/MD	ML/LG	XL/XXL
Lift (lbs/Newtons)	52/230	52/230	52/230
Weight Capacity (lbs/kg)	42/19	42/19	42/19
Height (in)	5'4"-5'11"	5'9"-6'3"	6'0"-6'7"
Height (cm)	163-180	175-235	195-275
Weight (lbs)	145-210	175-235	195-275
Weight (kg)	66-95	79-107	88-125
waist (in.)	33-53	37-57	41-61
Waist (cm)	84-135	94-145	104-155



## WSX SIDEMOUNT HARNESS!

Apeks, the company that produces the premier line of technical dive gear, offers you a top of the line sidemount harness system. The WSX is a feature rich, complete sidemount harness system. The WSX comes complete with either a 25lbs or 45lbs bladder, harness with crotch strap, D-rings, bungee and accessory butt pack.

The Apeks SlideLock sliding D-ring allows the diver to easily change the position of the cylinders as their buoyancy changes during the dive. The 2 piece plate system is adjustable to nearly any torso length, making this truly a one size fits all system.

- **Bladder:**
  - WSX-25 (25lbs lift), WSX-45 (45lbs lift)
  - Armoguard exterior
  - Additional protective layer of Armoguard protects the bladder against abrasions in confined spaces.
  - Reversible inflator can be mounted on left or right side. (WSX-45 includes an inflator connection on the inside left shoulder)
  - Grommets at lower corners allow for mounting bungee to keep the bladder streamlined to your body.
- **Harness:**
  - Solid 2" (5cm) webbing comes pre-assembled
  - Removable crotch strap made of 2" (5cm) soft webbing
  - 4x two inch stainless steel D-rings (2 angled on shoulders, 1 angled and 1 flat on the crotch strap)
  - 2x "SlideLock" sliding stainless steel D-rings on waist strap allow for easy adjustment of cylinders throughout the dive
  - 2x stainless steel drop D-rings along the lower back are for connection to the included butt pack, or for marker buoys, reels or other accessories
  - Heavy-duty waist buckle made of stainless steel
  - Two-piece stainless steel plate allows the torso length to be adjusted to fit any diver
  - Zippered Butt Pack with stainless steel snap hooks included
  - Weight pouches are mounted on the spine strap
  - Comes complete with two sizes of bungee and five stainless steel bolt snaps.
  - 2 grommet strips allow the diver to adjust the weight pouch and bladder based on their specific requirements.
- **Redundant Bladders:**
  - The WSX sidemount system now has a redundant option with the release of the new Apeks WSX redundant bladders. The bladders are cut to the same dimensions as the WSX-25/45 bladders and are made from the same ultra durable Armoguard material. They are designed to be mounted between the harness and bladder and have reversible inflators allowing the primary and backup inflators to be routed on opposite sides.



WSX-25 and WSX-45 Redundant Bladder



WSX-45 Primary Bladder



WSX Complete Sidemount System

Part #	Description	Sizes	THAI BAHT
388725	WSX-25 Sidemount System	Adjustable Size	35,290.00
388745	WSX-45 Sidemount System	Adjustable Size	36,990.00
388700	WSX-25 Primary Bladder only	25lbs lift	10,060.00
388709	WSX-45 Primary Bladder only	45lbs lift	10,840.00
388710	WSX-25 Redundant bladder	25lbs lift	10,060.00
388711	WSX-45 Redundant bladder	45lbs lift	10,840.00



Attachment Details

## WSX ACCESSORIES

Part #	Description	Details	THAI BAHT
388703	WSX Butt Pouch		2,090.00
388704	WSX Grommet Strip	Pair	1,190.00
388705	WSX Bungee Kit Large	Cylinder Attachment	1,790.00
388706	WSX Bungee Kit Small	Wing Attachment	1,590.00
388777	WSX Hardware Kit		1,390.00
388708	WSX Slide-Lock	Pair	2,290.00
388715	WSX Trim Pockets - Pair	5lb / 2.2kg Each	3,990.00



388703

388704

388705

388706

388777

388708

388715

388715



## APEKS WTX AND WTX-D SERIES

Apeks, the company that produces the premiere line of technical regulators, also offers a premiere line of technical BCs. The WTX and WTX-D Series is a selection of harnesses, buoyancy cells and accessories which offer unparalleled versatility due to the modular nature of the whole system. Each component can be configured into a highly technical rig for those trained to push the limits, or scaled down to make a travel friendly set up suitable for any diver.

Each product has been carefully designed by the Apeks' engineering team in conjunction with some of the most accomplished technical divers in the world. Each component has undergone extensive field-testing to make sure the design is right the first time. The materials were selected for strength and durability and the result is a product selection that technical divers can have complete confidence in.

### CONFIGURING YOUR KIT

We know that each diver is different and that no two divers require exactly the same kit configuration. The WTX and WTX-D series allows you to put your equipment together your way, taking items from the range and mixing and matching them to create a rig that's all yours. Here are just some of the options:

#### PICK YOUR HARNESS



#### SELECT YOUR STYLE OF WING



#### CHOOSE YOUR ACCESSORIES



#### DECIDE ON THE MOUNT



# WTX-D TWIN DONUT WINGS

## WTX-D45 TWIN TANK WINGS (DONUTS)

- Wings specifically designed for twin tanks.
- Very streamlined because they are compact.
- They offer optimum balance and are very stable.
- They do not wrap around the tank (taco), unlike larger wings.
- Rugged, durable heavy duty materials and hardware.
- Fondly referred to as “donuts” due to their shape.

Part #	Description	THAI BAHT
388645	WTX-D45	18,990.00
388660	WTX-D60	19,990.00
388560	WTX-D60R	29,290.00

### WTX-D45

#### 45 lbs lift

##### Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

##### Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

##### Drains

- 2 large drain grommets.
- Centre mesh drain panel.



### WTX-D60

#### 60 lbs lift

##### Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

##### Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

##### Drains

- 2 large drain grommets.
- Centre mesh drain panel.



### WTX-D60R

#### 60 lbs lift

- This redundant system contains two inner cells in one outer bag. Either cell is capable of generating 60 lbs of lift when it is full. Dive with peace of mind knowing that you're carrying a redundant system.

##### Two inflators - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

##### Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

##### Drains

- 2 large drain grommets.
- Centre mesh drain panel.







# WTX-D SINGLE DONUT WINGS

## SINGLE TANK WINGS (DONUTS)

- Narrow wings specifically designed for single tanks.
- Very streamlined because they are compact.
- They offer optimum balance and are very stable.
- They do not wrap around the tank (taco) as larger wings will often do.
- Rugged, durable heavy duty materials and hardware.
- Fondly referred to as “donuts” due to their shape.

Part #	Description	THAI BAHT
388118	WTX-D18	16,590.00
388130	WTX-D30	17,490.00
388140	WTX-D40	17,790.00

### WTX-D18

18 lbs lift

**Inflator - K style with brass buttons**

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

**Dump Valve**

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

**Drains**

- 2 large drain grommets.
- Centre mesh drain panel.



### WTX-D30

32 lbs lift

**Inflator - K style with brass buttons**

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

**Dump Valve**

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

**Drains**

- 2 large drain grommets.
- Centre mesh drain panel.



### WTX-D40

40 lbs lift

**Inflator - K style with brass buttons**

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

**Dump Valve**

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

**Drains**

- 2 large drain grommets.
- Centre mesh drain panel.



# PUBLIC SAFETY DEVICE (PSD)

## SINGLE TANK WINGS (DONUTS)

Designed for Public Safety divers, but a very practical and attractive option for all styles of diving, these 30 and 40 lb single cylinder wings boast all of the same features as the 30 and 40 lb single tank wings but are constructed from an Armoguard slick skin. This fast drying material is more abrasion resistant than traditional Cordura® and due to its slick nature it rinses easily and even if it is stored while damp it doesn't pick up bacterial growth or smells.

### WTX-D30 PSD

**32 lbs lift**

**Inflator - K style with brass buttons**

- Low profile oval-shaped hose
- Safety cable to prevent hyper-extension
- Positioned off-centre so as to not interfere with 1st stage

**Dump Valve**

- Low profile flat valve
- Positioned in front, lower-left side
- Tank stabiliser bars

**Drains**

- 2 large drain grommets
- Centre mesh drain panel



### WTX-D40 PSD

**40 lbs lift**

**Inflator - K style with brass buttons**

- Low profile oval-shaped hose
- Safety cable to prevent hyper-extension
- Positioned off-centre so as to not interfere with 1st stage

**Dump Valve**

- Low profile flat valve
- Positioned in front, lower-left side
- Tank stabiliser bars

**Drains**

- 2 large drain grommets
- Centre mesh drain panel



Part #	Description	THAI BAHT
388230	WTX-D30 PSD	19,890.00
388240	WTX-D40 PSD	20,290.00



# WTX WINGS

## WTX3 BUOYANCY CELL

The WTX3 is the travel buoyancy cell designed for single cylinders

- The WTX3 provides 32lbs. of lift
- The WTX3 can mate directly to the WTX harness.
- Single bag construction
- The airway comes off of the back top centre of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Pull dump on inside lower left
- Optional pull dump may be added to the inside lower right



Part #	Description	THAI BAHT
388032	WTX3 32lb Buoyancy Cell	14,690.00

## WTX4 BUOYANCY CELL

The WTX4 is a smaller version of the WTX6 & WTX8 but it can accept single cylinders too!

- The WTX4 provides 45lbs. of lift
- The WTX4 can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using centre bolts
- Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of 1000D Armorshield™ Cordura® to resist abrasion and fading
- Inner bag constructed from mil-spec welded fabric, the same fabric used in survival vests worn by US fighter pilots.
- The airway comes off of the back top centre of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Pull dump on inside lower left
- Optional pull dump may be added to the inside lower right



Part #	Description	THAI BAHT
388345	WTX4 45lb Buoyancy Cell	16,090.00

## WTX6R BUOYANCY CELL

This redundant buoyancy cell has both airways coming off the back top of the cell.

- This redundant system contains two inner cells in one outer bag. Either cell is capable of generating 60 lbs of lift when it is full. Dive with peace of mind knowing that you're carrying a redundant system.
- The WTX6R can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using centre bolts.
- Highly efficient drains allow water to empty quickly after a dive.
- Outer bag constructed out of Armorshield™ Cordura® to resist abrasion and fading.
- Inner bags constructed from mil-spec welded fabric.
- A safety cable inside the elliptical hoses prevents hyperextension of the corrugated hoses.
- Features the Apeks technical inflator with brass buttons.
- The air cell closest to the diver has a pull dump on inside lower left with a capped-off port on the inside lower right for an optional right dump.
- The air cell furthest from the diver has a pull dump on outside lower right with a capped-off port on the outside lower left for an optional left dump.



Part #	Description	THAI BAHT
388460	WTX6R 60lb Redundant-Buoyancy Cell	24,990.00

# WTX ACCESSORIES

## WTX INTERNAL RETRACTOR KIT

- Can be installed on WTX-D30, 40, 45, 60, and 60R
- Comes with full instructions.
- Consists of two retractor bands in a bag.



Part #	Description	THAI BAHT
388300	WTX Retractor Kit	1,290.00

## SURELOCK™ ATTACHMENTS

This unique accessory allows you to mount the SureLock™ Weight System (Patented) directly to the back plate.

- Includes necessary attachment hardware plus spares.
- May be used without the SureLock™ Weight System to spread the weight of the cylinders over the hips.
- 3 different grommet settings allow for proper positioning of the SureLock™ weight pockets.



Part #	Description	THAI BAHT
388045	WTX SureLock Weight system attachments	3,590.00

## SURELOCK™ WEIGHT SYSTEM

This popular accessory is ideal when you need to add additional weight to your rig.

- Bolts directly to the WTX Harness.
- Mounts to the back plate with use of SureLock™ attachments below.
- Includes necessary attachment hardware plus spares.
- 2" stainless adjustable D-rings on the outside of each pocket.
- Features the SureLock™ (patented) mechanical weight release buckles which prevent weights from releasing until you want them to.
- Each pocket holds up to 10 lbs (4.5kg) of lead.
- Includes attachment grommets to mount your choice of Aqua Lung Squeeze Lock knives.



Part #	Description	THAI BAHT
388020	Apeks Surelock weight system, 10lb	7,290.00





## WTX POCKETS

- A range of pockets to suit every requirement.
- A small mesh pocket for spare mask / SMB.
- A small Cargo pocket with velcro fastener.
- A large zippered cargo pocket.
- A large thigh pocket with velcro fastener.
- The two small pockets can fix directly to the large cargo pocket using the optional nut and bolt kit.
- The pockets have a webbing loop for fixing to the BCD waist band.
- The large Thigh pocket is adjustable to fit leg size and has an adjustable length loop for securing to BCD waistband.



388010



388000



388005



388015

Part #	Description	THAI BAHT
388000	Small Mesh Pocket	1,690.00
388005	Small Cargo Pocket	1,990.00
388010	Large Cargo Pocket	2,190.00
388015	Large Thigh Pocket	2,490.00
388018	Nut & Bolt Kit	790.00

## STAINLESS STEEL BOOK SCREWS

Book screws can be used to attach a wing to a back plate or to anchor an accessory to a back plate. Each kit comes with two complete sets of mating book screws with friction o-rings. Two different lengths are available, 3/8" or 3/4" depending upon your application.



Part #	Description	THAI BAHT
388112	Kit Book Screw, 3/8, 2 Pack	1,890.00
388113	Kit Book Screw, 3/4, 2 Pack	1,890.00



# WTX HARNESSSES

## WTX HARNESS

This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

- Can mount directly to a single cylinder using dual nylon cylinder bands or a single tank adapter.
- Can accept an Apeks back plate for heavy loads such as twin steel cylinders.
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system.
- Open shoulder design allows diver to add or remove hardware for total customization.
- Made from rugged 1050D Ballistic Nylon.
- Removable crotch strap made of 2" (5cm) soft webbing.
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap).
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories.
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories.
- Removable back pad.
- Heavy-duty waist buckle made of stainless steel.
- Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit.
- SOLAS reflector airway hold-downs can be removed or repositioned.
- Chest strap comes standard, includes 2ea. tank bands.



Part #	Description	Sizes	THAI BAHT
388090	Apeks WTX Harness	Small	17,790.00
388091	Apeks WTX Harness	Medium	17,790.00
388093	Apeks WTX Harness	Large	17,790.00
388095	Apeks WTX Harness	X-Large	17,790.00

## WTX DELUXE ONE-PIECE WEBBED HARNESS

This simple, yet strong, harness can take the load of a fully rigged technical diver. It can be easily customized with the hardware of your choice.

- 12' of solid 2" (5cm) webbing with centre grommet.
- 2" (5cm) wide crotch strap.
- 6 stainless 2" (5cm) D-rings.
- Includes neoprene shoulder protectors.
- 2 elastic retaining loops on shoulders and one on crotch strap.
- Heavy duty stainless waist buckle.
- 6 stainless serrated retainers.
- Tank bands, p/n AP0851, not included.



\*Back Plate NOT included with Deluxe Webbed Harness

Part #	Description	THAI BAHT
388040	Deluxe Webbed Harness	4,690.00



## WTX BACKPLATE - STEEL OR ALUMINUM

The backbone of any system - this cleverly designed back plate can be used with the webbed harness or inserted into the WTX Harness.

- Offered in either 304 stainless steel or 6061 anodized aluminum alloy.
- The stainless steel weighs approx 5 lbs (2.2 kg).
- The aluminum weighs approx 1 lb 11oz (753g).
- 4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder which traditional 2 slot plates cannot.
- 3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower centre slot allows for lower band bolts that are misaligned.
- 2" wide crotch strap slot.
- Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories.
- Both offer an electro-plate finish and a laser-etched Apeks logo to enhance the look of the plate.



Part #	Description	THAI BAHT
388030	Apeks Backplate, Stainless Steel	8,990.00
388028	Apeks Backplate, Aluminum	6,390.00

## WTX ULTRALIGHT TRAVEL PLATE

- The Ultralight Travel Plate is ideal for those that like to travel with plate and wings
- Paired with the WTX-D18 donut wing, it makes a very lightweight, streamlined kit
- Requires the Deluxe One-Piece Webbed Harness
- Can accept SureLock Weight System directly or by using SureLock Attachment plates



Part #	Description	THAI BAHT
388210	Ultralight Travel Plate	4,490.00

## WTX SINGLE TANK ADAPTER (STA)

The single tank adapter is a great way to quickly attach a single cylinder to a back plate or the WTX harness.

- Made of 316 stainless steel.
- Weighs 1 lb. 1 oz. (490g) without hardware.
- Comes with 2 sets of bolts and one pair of washers and wing nuts.
- 1" bolts for directly mounting to back plate.
- 1.5" bolts for mounting to back plate inside WTX harness.
- Nylon tank bands are not included and may be purchased separately (p/n AP0851).



Part #	Description	THAI BAHT
388029	Single Tank Adapter	3,390.00

## WING AND HARNESS - POSSIBLE CONFIGURATIONS



18lb donut with Ultralight Travel Plate, universal webbed harness, SureLock pockets and attachments.



30lb donut with aluminum back plate, universal harness, SureLock pockets and attachments.



40lb donut with WTX harness and SureLock pockets.

## WTX BC SIZE GUIDE

Size	Waist Range		Over The Shoulder Range
	WTX Harness Only	WTX Harness w/ SureLock Wt System	Measured from centre of waistband front to centre of waistband back
SM	29-60in / 74-152cm	33-60in / 84-152cm	34-43in / 86-109cm
MD	29-60in / 74-152cm	33-60in / 84-152cm	36-45in / 91-114cm
LG	32-60in / 81-152cm	36-60in / 91-152cm	40-49in / 102-125cm
XL	34-60in / 86-152cm	38-60in / 97-152cm	42-51in / 107-130cm

The figures in this guide are approximate, not absolute.





**NEW! VX1 MASK**

**ETA DECEMBER 2019**

The VX1 is the first frameless mask that finally addresses the technical diver's frustration of "fit fatigue". The advanced skirt geometry is designed to minimize facial pressure points during long duration dives. Offered in solid black or white surgical grade premium silicone and incorporating a choice of Pure View or UV Cut exclusive lens options for optimum visibility in all conditions.



VX1 BLACK  
Black silicone  
Pure clear lens



VX1 BLACK  
Black silicone  
UV Cut lens



VX1 WHITE  
White silicone  
Pure clear lens



VX1 WHITE  
White silicone  
UV Cut lens

**Features**

- Frameless construction provides low inner volume, exceptional comfort and lightweight
- Matt and gloss areas on the silicone skirt enhance sealing features and improve fit and comfort
- Two lens options: Pure View provides maximum optical clarity with no distortion / UV Cut for greater aquatic colour accuracy at depth
- Quick Release Buckles incorporating a stainless-steel roller allow for easy adjustment for the best fit, even while wearing dry gloves
- Supplied with additional comfortable neoprene mask strap for a secure fit
- Premium zipped EVA reusable protective case

Part #	Description	THAI BAHT
MS394111	VX1 BLACK Black silicone - Pure clear lens	3,290.00
MS394113	VX1 WHITE White silicone - Pure clear lens	3,290.00
MS394112	VX1 BLACK Black silicone - UV Cut	4,190.00
MS394114	VX1 WHITE White silicone - UV Cut	4,190.00



## RK3 + RK3 HD

The award winning RK3 fin is renowned for outstanding performance and reliability and has fast become a firm favourite with divers. Now available in a range of new colours, the RK3 is a rugged thermoplastic rubber fin featuring an over-sized foot pocket to accommodate drysuit boots and a spring strap for easy donning and doffing. The RK3 is available in three sizes: Medium, Large and Super.

The RK3 HD fin is the latest in the RK3 range. It is made from a higher density (HD) material than the standard RK3 which makes the fin stiffer and negatively buoyant, ideal for drysuit diving.

We didn't give the RK3 fin a shoe size range as this can be very misleading. The environment that an RK3 is used in will tend to dictate the size of fin that you need, for example do you dive in a warm environment wearing wetsuit boots, or are you walking across pebbled beaches and wearing a drysuit and rigid dry boots? Both forms of footwear may be a UK size 9, but will take up different amounts of space in the fin foot pocket.



 **NEW PRODUCT**





**FEATURES**

- The design has been the standard gear issue fin for military, special ops, coast guard, and public safety divers for decades.
- Short wide blade provides maximum forward thrust while maintaining great manoeuvrability.
- Vented blade design reduces resistance on the upstroke and enhances thrust on the downstroke
- The vents also eliminate vortexes that can occur along the back of the blade much in the same way split fins eliminate the vortex
- The blade material is designed to hold up to the toughest environments, temperatures, and abuse.
- Two large grommet holes designed to fit most carabiners for easy storage of the fins while accessing the dive site
- Spring straps as standard
- Custom designed buckle holds spring straps in optimum position
- Simple push pin design allows simple replacement of springs if necessary
- The blade material is designed to hold up to the toughest environments, temperatures, and abuse.
- Two large grommet holes designed to fit most carabineers for easy storage of the fins while accessing the dive site.
- Spring straps as standard.
- Custom designed buckle holds spring straps in optimum position.
- Simple push pin design allows simple replacement of springs if necessary.

Part #	Description	Sizes	THAI BAHT
2480101S	APEKS RK3 FIN, BLACK	SMALL	5,690.00
621160	APEKS RK3 FIN, BLACK	MEDIUM	5,690.00
621170	APEKS RK3 FIN, BLACK	LARGE	5,690.00
621180	APEKS RK3 FIN, BLACK	SUPER	5,690.00
2481212S	APEKS RK3 FIN, DARK-GREY	SMALL	5,690.00
2481212M	APEKS RK3 FIN, DARK-GREY	MEDIUM	5,690.00
2481212L	APEKS RK3 FIN, DARK-GREY	LARGE	5,690.00
2481212XL	APEKS RK3 FIN, DARK-GREY	SUPER	5,690.00
2480909S	APEKS RK3 FIN, WHITE	SMALL	5,690.00
621201	APEKS RK3 FIN, WHITE	MEDIUM	5,690.00
621203	APEKS RK3 FIN, WHITE	LARGE	5,690.00
621205	APEKS RK3 FIN, WHITE	SUPER	5,690.00
2480808S	APEKS RK3 FIN, ORANGE	SMALL	5,690.00
2480808M	APEKS RK3 FIN, ORANGE	MEDIUM	5,690.00
2480808L	APEKS RK3 FIN, ORANGE	LARGE	5,690.00
2480808XL	APEKS RK3 FIN, ORANGE	SUPER	5,690.00
2480707S	APEKS RK3 FIN, YELLOW	SMALL	5,690.00
2480707M	APEKS RK3 FIN, YELLOW	MEDIUM	5,690.00
2480707L	APEKS RK3 FIN, YELLOW	LARGE	5,690.00
2480707XL	APEKS RK3 FIN, YELLOW	SUPER	5,690.00
2480202S	APEKS RK3 FIN, PINK	SMALL	5,690.00
2480202M	APEKS RK3 FIN, PINK	MEDIUM	5,690.00
2480202L	APEKS RK3 FIN, PINK	LARGE	5,690.00
2480202XL	APEKS RK3 FIN, PINK	SUPER	5,690.00
2471010S	APEKS RK3 HD FIN, GREY	SMALL	5,690.00
2481010M	APEKS RK3 HD FIN, GREY	MEDIUM	5,690.00
2481010L	APEKS RK3 HD FIN, GREY	LARGE	5,690.00
2481010XL	APEKS RK3 HD FIN, GREY	SUPER	5,690.00

Fin - Weight comparison per fin	RK3	RK3 HD
Medium	982g/2.16lb	1.1kg/2.42lb
Large	1.19kg/2.62lb	1.4kg/3.08lb
Super	1.27kg/2.79lb	1.44kg/3.17lb

**ACCESSORIES**



Part #	Description	Sizes	THAI BAHT
421146	SPRING STRAP (PAIR)	MEDIUM	2,290.00
421167	APEKS RK3 FIN, BLACK	LARGE	2,290.00
621148	APEKS RK3 FIN, BLACK	SUPER	2,290.00

## SPOOL KIT

Inspired by technical diving and versatile enough to be used in a range of diving applications, the new LifeLine spool from Apeks features easy to grip flared sides to improve deployment and winding. Made from tough anodised aluminium alloy with high visibility line for low light conditions and with a super tough leader and swivel as standard, the Lifeline comes in four sizes and colours and is complemented by a range of line markers and cookies.

Available in four sizes - Purple 15 metres, Green 30 metres, Blue 45 metres and Grey 60 metres

### Features

- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits
- Easy to service
- Colour coded octopus hose
- Cold water compatible.



Part #	Description	THAI BAHT
AP0265/K	Small Spool Kit 15m	3,290.00
AP0266/K	Medium Spool Kit 30m	4,590.00
AP0267/K	Large Spool Kit 45m	4,790.00
AP0268/K	Extra-Large Spool Kit 60m	5,290.00

## LINE MARKER

Apeks offers a range of line markers including directional arrows, non-directional markers and cookie markers. Available in packs of 5 in white or orange, each marker comes with an optional reflective sticker that can be added by the diver.

### Features

- Pack of 5
- Orange or white
- Highly reflective stickers included

Part #	Description	THAI BAHT
AP6406/W/K	Non Directional Line Marker - White	390.00
AP6406/OR/K	Non Directional Line Marker - Orange	390.00
AP6407/W/K	Cookie Line Marker - White	390.00
AP6407/OR/K	Cookie Line Marker - Orange	390.00
AP6408/W/K	Arrow Line Marker - White	390.00
AP6408/OR/K	Arrow Line Marker - Orange	390.00







## APEKS SMB

Make sure you're seen first time, every time, with the Apeks Surface Marker Buoy. Easily the most feature rich SMB on the market today, a unique fully closed system oral inflator allows the buoy to be fully inflated on a single breath, meaning fast deployment in any situation. Both sides of the SMB have high quality SOLAS reflective tape panels to ensure maximum visibility.

Not only is the Apeks SMB the perfect surface marker buoy, it can also be used as an emergency float. Brass eyelets at the ends of the float allow the diver to fold the unit and secure it into a floating loop using bolt snaps.



### Features

- Unique oral inflation valve allows for easy one handed operation in cold water.
- 2 x stainless steel D-ring allows for easy attachment to your reel or spool.
- 2 x brass eyelets at the top of the SMB allow you to attach a torch, strobe or slate, they also enable the SMB to be folded and used as an emergency float.
- SOLAS reflective tape on both sides ensure maximum visibility in rough seas and darkness.
- Simple bungee closure system with enlarged rubber pull tab allow for easy stowage and deployment even when wearing gloves.
- 1.4 meter single breath oral inflate SMB.
- Fully taped and heat sealed edges ensure the SMB is extremely durable.
- Reflective logo print.
- Over pressure relief valve with pull toggle ensures ease of use even when wearing gloves.
- Available in orange and yellow.
- Supplied in plastic free packaging

Part #	Description	THAI BAHT
RE1250701	SMB YELLOW	3,990.00
RE1250801	SMB ORANGE	3,990.00

## NEW! HP TWIN ADAPTOR

The Apeks HP twin adaptor allows you to use both an SPG and a transmitter from a single High-Pressure port. This is especially useful for 1st stages that only have a single HP port.

The HP twin adaptor utilises a standard 7/16" thread and is suitable for use on all manufacturers 1st stages.

### Features & Benefits

- Allows you to use both an SPG and a HP transmitter with a single HP port.
- 360 degree swivel allows the transmitter to move, reducing the chances of breakage and snagging.
- 7/16" UNF HP thread is compatible with all 1st stages.
- Made from chrome plated brass.
- Manufactured in the UK.



Part #	Description	THAI BAHT
AP0905K	HP Twin Adaptor	2,990.00

## BUNGEE MOUNT COMPASS

- Large easy to read numbers.
- Large side view window allows for easy and accurate navigation.
- Large, secure 360° ratcheting bezel
- Luminescent gauge face for easy reading in low light.



Part #	Description	THAI BAHT
AP1012/K	Bungee Mount Compass	3,790.00

## WETNOTES


The Apeks wet notes are manufactured from ballistic nylon, they come with a solid graphite pencil, blank decompression tables and a replaceable notebook insert.

### Features

- Durable ballistic nylon outer cover.
- 23 page reusable and replaceable underwater notebook.
- Bungee elastic pencil holder and solid graphite pencil.
- Embroidered Apeks logo.
- Two transparent pockets accommodate deco tables, compass and cutting devices.
- Includes 3 blank deco tables.
- Bungee cord closure loop and attachment point for bolt snap.
- Elastic book mark.
- Supplied with 316 stainless steel double ended bolt snap.



Part #	Description	THAI BAHT
AP1008/K	Wetnotes	2,990.00



## APEKS TECH SHORT

Can be worn above a dry or a wet suit to create additional pocket space, or can be worn alone for use in warm water or for other aquatic activities.

- 1.5mm neoprene -small diamond lining outside, nylon inside.
- Easy adjustable waist band with 2 hook and loop flaps and adjustable strap with a quick release buckle.
- Big cargo pockets with expandable system, made in fabric to prevent the distortion of the shape.
- Grommets for fast drainage.
- D-ring to secure accessories.
- Protective rubber prints on the back reduces friction damage while increasing grip, useful if used on a jet ski or RIB.
- Taped sewing on back and inside legs to prevent broken threads.
- Unisex model: 5 sizes from S to XXL.



Part #	Description	Sizes	THAI BAHT
665000	TECH SHORTS	XS	5,990.00
665001	TECH SHORTS	S	5,990.00
665002	TECH SHORTS	M	5,990.00
665003	TECH SHORTS	L	5,990.00
665004	TECH SHORTS	XL	5,990.00
665005	TECH SHORTS	XXL	5,990.00

# THE DRY-SERIES

If you need a workhorse in your dive kit, look no further than the new range of drybags from Apeks. Tough, rugged and designed to haul equipment, the drybags feature waterproof welded seams to ensure water doesn't get in – or out. Ideal for stashing wet kit post-dive or keeping personal possessions dry during a dive, you'll find the bags are at home in the wettest, harshest conditions around.

## DRY100L SINGLE CORE WITH DRAIN DUMP

The DRY100 is made of a 1000D Nylon Core 0.6mm thick Tarpaulin which is designed to protect your gear from the most extreme environments.

The bag provides 113 litres of packing capacity and features a 33" (84cm) wide mouth roll-top to make it easy to stuff your kit in the bag. The bottom is a polymer reinforced foam that reduces impact force and wearing. Removable backpack straps make those long hikes to beach and cave dives way easier.

The side pocket/changing mat is removable so you don't have to haul your whole bag out to protect your gear while you change out of your suit.

The drain dump even means you can use your bag as a kit wash bath!

If your dive life needs a bag that can keep up, you've found it.

- The main bag is a waterproof roll top duffel with a 33" (84cm) wide mouth opening.
- The material is a 1000D Nylon Core 0.6mm Tarpaulin.
- It's designed to be rugged and to protect your gear from the most extreme environments.
- The bottom is a polymer reinforced foam pad to help reduce impact force and wearing. The bottom panel doubles as a trolley cart sleeve.
- A removable side pocket features a splash proof zipper with an easy grip puller. The changing mat is 32"x23" and double layered tarpaulin.
- Removable air mesh backpack straps.
- Compression straps with a comfortable haul handle.



Part #	Description	Colours	THAI BAHT
1003422	APEKS DRY 100	Black	9,990.00
1003423	APEKS DRY 75	Black	8,990.00
1003424	APEKS DRY 12	Black	2,990.00
1003425	APEKS DRY INNER BAG	Grey	1,990.00





## DRY75L TWIN CORE FOR COMBINED WET/DRY STORAGE

The DRY75 is a workhorse of a dive bag that will easily carry all of your personal dive gear plus extra clothes.

The bag has 75 litres of carrying capacity. It features a removable wet/dry core to keep your wet gear away from your dry gear.

The main bag features a drain so you can rinse your equipment on the go and a splash proof top flap so you don't have to unroll your pack every time you need your passport.

If this bag isn't big enough, there are four easy attachment points for the Apeks DRY12 bags.

### FEATURES

- The main material is a 1000D Nylon Core 0.6mm Tarpaulin. It's designed to be rugged and to protect your gear from the most extreme environments.
- The main compartment features a drain plug for rinsing your gear on the go.
- The removable core is 500D Nylon Core 0.4mm Tarpaulin to separate your wet gear from your dry gear.
- The bottom is a polymer reinforced foam pad to help reduce impact and wearing.
- The top flap is a splash proof pocket for easy document and personal items storage.
- There are 4 attachment points for the Apeks DRY12



## DRY12L SINGLE CORE FOR WET OR DRY STORAGE

The DRY12's main function is to modularly attach to the Apeks DRY100 & DRY60.

The four stainless steel carabiners on the DRY12 latch to the four stainless steel D-rings over the Apeks logo on the side of the DRY100. When attached, the waterproof roll-top opening on the DRY12 is conveniently located and easily accessible.

The DRY60 has four locations to attach multiple DRY12 bags. This increases your DRY60's packing capacity by 48 litres. It also provides four added dry compartments to your bag.

The DRY12 also holds up on its own. The four carabiners and adjustable straps make it easy to strap down to the deck of a boat, hang inside your sleeping quarters, strap to other bags or use as a carry-on.

### FEATURES

- The main material is a 1000D Nylon Core 0.6mm Tarpaulin. It's designed to be rugged and to protect your gear from the most extreme environments.
- The webbing is 1" (2.5cm) pp nylon with MOLLE straps for attaching small pouches and accessories.
- The tribuckles and carabiners are stainless steel with a metallic black coating.
- The ends of the adjustable straps are designed to weave in and out of the tribuckles easily. This is a fail safe system in case the carabiners gets damaged.
- The buckle is a Duraflex buckle.



## DRY INNER BAG

The DRY75's inner bag is also available for purchase separately.



©Aqua Lung International 2019 – 2020 Aqua Lung  
Whites® names, logos and their respective trademarks  
trademarks of Aqua Lung International. Products, technical  
specifications in this catalogue are subject to change without



**apeks®**

MAIN OFFICE:  
SAMUI SCUBA PRO CO., LTD  
124/189-191 M.3 T. MARET  
KOH SAMUI SURATTHANI 84310

TELEPHONE: 077 418 188  
FAX: 077 418 189  
E-MAIL: [EASYWAT@EASYWATERSPORTS.COM](mailto:EASYWAT@EASYWATERSPORTS.COM)  
WEB: [WWW.EASYWATERSPORTS.COM](http://WWW.EASYWATERSPORTS.COM)

© Samui Scuba Pro Co., Ltd. / All rights reserved 2020